

Japanese Utility Model Publication No. D14-21890

Title : PIMPLE REMOVER
Publication Date : December 12, 1925
Publication Number : D14-21890
Filing Date : March 20, 1925
Application Number : D14-6062

What is claimed is :

1. A pimple remover comprising:

a thin steel wire (1) bended in U-shape, including an angled leading portion (a) formed by bending the wire in 60 degrees upwardly and two-leg portion (b) in which one leg is running parallel to the other leg;

a thin metallic tube (2) with a leading portion (2') being evenly pressed and slightly bended upwardly; and

wherein both ends of the steel wire are inserted and fixed into the leading portion (2').

大正十四年 實用新案出願公告第二八九〇號

第四十六類 一五、雜

願書番號大正十四年第六〇六二號
出願人 大正十四年三月二十日
公告 大正十四年十二月十二日

神戸市宮川町九丁目百十一番地
出願人 考察者 手島正夫
大坂市西區土佐堀通一丁目一番地 大同生命ビルヂング
第四百二十號室
代理人 辨理士 和田 丈 夫

面皷壓出器


圖面ノ略解 圖面ハ何レモ本器ノ擴大圖ニシテ第一圖ハ縱斷正面圖第二圖ハ其平面圖(但シ先端ノ屈曲部ヲ伸展シタル處ヲ示ス)第三圖ハ第一圖(Y-Y)線切斷面圖ヲ示スモノナリ

實用新案ノ性質、作用及效果ノ要領 本考案ハ細キ鋼鐵線工ヲ中央ヨリU形ニ折曲ケ頂角部ニ至リ再ヒ上方ニ約六十度ヲ屈曲セシメ殘餘ノ兩脚部互ヲ平行線狀ニナシ金屬細管手柄ニ先端部ニ壓潰シ且ツ少シク上方ニ屈曲セシメ其箇所ニ前記鋼鐵線ノ平行部ノ先端ヲ挿入シテ固着セシメタル構造ナリ

本器ハ手柄ニテ握先ニテ挾ミ持テ而シテU形部内ニアラムル如ク顔面ニ當テ、靜力ニ押ストキハ面皷ノ周圍ノ筋内ハ鋼鐵線ニテ壓潰セラレ而シテハ半分以上皮膚ノ表面外ニ迫出サル其時U部ヲ手先ニ引クトキハ面皷ハ該部ニ挾マレテ容易ニ取り去ルコトヲ得可シ
本器ハ以上ノ如ク使用方簡易ニシテ皮膚ヲ傷メス痕點ヲ遺テス使用後ノ消毒竝ニ掃除容易ナリ

登錄請求ノ範圍 圖面ニ示ス如ク細キ鋼鐵線工ヲU形ニ折曲ケ其頂角部ニ至リ再ヒ上方ニ約六十度ヲ屈曲セシメ兩脚部互ヲ平行線狀ニナシ金屬細管手柄ニ先端部ニ壓潰シ且ツ少シク上方ニ屈曲セシメタル箇所ニ前記鋼鐵線工ノ兩端部ヲ挿入固着セシメタル而シテ面皷壓出器ノ構造

實用新案出願公告第二一八九〇號



第一圖

第二圖

第三圖